GP-MTL

TYPE: | PROJECT: | CATALOG#: | MAGNETIC TRACK LIGHT

Product Features

The GP-MTL modular magentic attraction track light contains recessed and pendant installation. It has a rating of IP 20, with excellet thermal management and a dimmable feature for visual comfort.

Product Specifications

Model	GP-MTL
Lumen Output	Varies
Power Consumption (W)	Varies
Input Voltage	120-277V AC
Colour Temperature (CCT)	2700K, 3000K, 3500K, 4000K, 5000K
Linear Dimension	Length x 39 x 76 mm
CRI	Ra80, Ra90
IP Rating	IP20

IP20 RATED & TESTED | IESNA LM-80 | IESNA LM-79 | ETL Intertek | CE | 5 YEARS LIMITED WARRANTY INCLUDED

Technical Drawing



GP-MTL **Units in Metric**

Order Form

GP	-	MTL	-		-		-		-		-	
Series		Model		3		4		5		6		7

2. MODEL

MTL	Linear

3. CCT

27	2700K
30	3000K
35	3500K
40	4000K
50	5000K

4. L-DIMENSION

500	500
1000	1000
2000	2000
3000	3000

5. CRI

80	Ra80
90	Ra90

6. MODULES

1	Spot 50	**10**	Fold 12	**19**	Spot 35T
2	Dot 03	**11**	Fold 32	**20**	Spot 65-R
3	Dot 06	**12**	Fold 64	**21**	Spot 95-R
4	Dot 12	**13**	Fold 96	**22**	Pendant 35-R
5	Linear 32	**14**	Linear 32H	**23**	Pendant 50-R
6	Linear 64	**15**	Linear 64H	**24**	SD 50
7	Linear 96	**16**	Linear 96H	**25**	M 03
8	Fold 03	**17**	Washer 30		
9	Fold 06	**18**	Spot 35		

7. Accessories

A	BL L Corner-R	**J**	Outter Corner
B	Connector	**K**	45D Corrner
C	Recessed Kit	**L**	Inner Corner-R
D	Cross Corner		
E	Recessed Track		
F	T-Corner		
G	Inner Corner		
H	L-Connector		
I	Outter Corner-R		

greenimagetech.com
105-8288 N Fraser Way
Burnaby BC, V3N 0E9
T: (604) 207-9879
F: (604) 207-6992

© Green Image Tech, LTD. All rights reserved. We reserve the right to change design, materials and finish in any way that will not alter installed appearance or reduce function and performance.

GP-MTL

TYPE: | PROJECT: | CATALOG#: | MAGNETIC TRACK LIGHT

Modular Down Lights

MTL-SPOT 50

Size: Ø 50
Wattage: 10 W
Beam Angle: 15°, 36°, 48°
CCT: 2700K - 5000K
CRI: Ra 80/90

MTL-LINEAR 32/64/96H

Size: L 323/640/959 x W 34 x H 110
Wattage: 15/30/45 W
Diffuser: 3mm Opal Acrylic
CCT: 2700K - 5000K
CRI: Ra 80/90

MTL-DOT 03/06/12

Size: L 94/164/323 x W 34 x H 56
Wattage: 10/20 W
Beam Angle: 15°, 34°, 48°
CCT: 2700K - 5000K
CRI: Ra 80/90

MTL-Pendant 50S-R

Size: L 270 x W 34 x H 110
Wattage: 16 W
Beam Angle: Wall Washer
CCT: 2700K - 5000K
CRI: Ra 80/90

MTL-LINEAR 32/64/96

Size: L 323/640/959 x W 34 x H 56
Wattage: 15/30/45 W
Diffuser: 3mm Opal Acrylic
CCT: 2700K - 5000K
CRI: Ra 80/90

MTL-SPOT 35

Size: Ø 35 x H 80
Wattage: 5 W
Beam Angle: 20°, 30°, 40°, 60°
CCT: 2700K - 5000K
CRI: Ra 80/90

MTL-FOLD 03/06/12

Size: L 94/164/323 x W 34 x H 181
Wattage: 4/8/16 W
Beam Angle: 15°, 34°, 48°
CCT: 2700K - 5000K
CRI: Ra 80/90

MTL-SPOT 35T

Size: Ø 35 x H 80
Wattage: 2 x 5 W
Beam Angle: 20°, 30°, 40°, 60°
CCT: 2700K - 5000K
CRI: Ra 80/90

MTL-FOLD 32/64/96

Size: L 323/640/959 x W 34 x H 181
Wattage: 10/20/30 W
Diffuser: 3mm Opal Acrylic
CCT: 2700K - 5000K
CRI: Ra 80/90

MTL-SPOT 65-R

Size: Ø 65
Wattage: 8 W
Beam Angle: 10°, 20°, 30°
CCT: 2700K - 5000K
CRI: Ra 80/90

greenimagetech.com
105-8288 N Fraser Way
Burnaby BC, V3N 0E9
T: (604) 207-9879
F: (604) 207-6992
© Green Image Tech, LTD. All rights reserved. We reserve the right to change design, materials and finish in any way that will not alter installed appearance or reduce function and performance.

GP-MTL

TYPE: | PROJECT: | CATALOG#: | MAGNETIC TRACK LIGHT

Modular Down Lights

MTL-SPOT 95-R

Size: Ø 95
Wattage: 15 W
Beam Angle: 10°, 20°, 30°
CCT: 2700K - 5000K
CRI: Ra 80/90

MTL-PENDANT 50-R

Size: Ø 50 x H 250
Wattage: 10 W
Beam Angle: 18°, 24°, 36°
CCT: 2700K - 5000K
CRI: Ra 80/90

MTL-PENDANT 35-R

Size: Ø 35 x H 250
Wattage: 5 W
Beam Angle: 18°, 24°, 36°
CCT: 2700K - 5000K
CRI: Ra 80/90

MTL-SD 50

Size: Ø 50 x H 130
Wattage: 7 W
Beam Angle: 15°, 30°, 45°
CCT: 2700K - 5000K
CRI: Ra 80/90
Lumen: 650 lm

MTL-M 03

Size: L 16.5 x W 35 x H 45
Wattage: 3.5 W
Beam Angle: 15°, 30°, 45°
CCT: 2700K - 5000K
CRI: Ra 80/90
Lumen: 300 lm

greenimagetech.com
105-8288 N Fraser Way
Burnaby BC, V3N 0E9
T: (604) 207-9879
F: (604) 207-6992
© Green Image Tech, LTD. All rights reserved. We reserve the right to change design, materials and finish in any way that will not alter installed appearance or reduce function and performance.

GP-MTL

TYPE: | PROJECT: | CATALOG#: | MAGNETIC TRACK LIGHT

Accessories

A

BL L Corner-R

B

Connector

C



Recessed Kit

D

Cross Corner

E

Recessed Track

F

T-Corner

G



Inner Corner

H

L-Connector

I

Outter Corner-R

J



Outter Corner

K

45D Corner

L

Inner Corner-R

105-8288 N Fraser Way
Burnaby BC, V3N 0E9

T: (604) 207-9879
F: (604) 207-6992

© Green Image Tech, LTD. All rights reserved. We reserve the right to change design, materials and finish in any way that will not alter installed appearance or reduce function and performance.